

ART

ARTFRAME


The ArtFrame combines sustainability and style. Crafted from recycled material and printed using dye-sublimation technology, the fabric features a silicone edge band that fits seamlessly into the metal frame, creating a smooth, upscale finish. Inside the frame, 9mm ArtFelt enhances sound modulation while supporting high-resolution graphics that are easy to update, making the ArtFrame both a functional and versatile decor choice.



SILHOUETTES

ArtFrame silhouettes are dye-sublimation printed on 100% recycled fabric, offering both sustainability and stunning visual impact. Choose from 60 curated designs across four distinctive artistic categories—Abstract, Dynamic, Minimalism, and Nature—or collaborate with our design team to create a custom art piece tailored to your vision.

ABSTRACT



A0001.1




A0002.1



A0003.1




A0004.1




A0005.1




A0006.1



A0007.1




A0008.1



A0009.1




A0010.1



A0011.1



A0012.1



A0013.1



A0014.1



A0015.1



A0016.1



A0017.1



A0018.1




A0019.1




A0020.1

DYNAMIC



D0001.1



D0002.1



D0003.1




D0004.1



D0005.1



D0006.1



D0007.1

SILHOUETTES

ArtFrame silhouettes are dye-sublimation printed on 100% recycled fabric, offering both sustainability and stunning visual impact. Choose from 60 curated designs across four distinctive artistic categories—Abstract, Dynamic, Minimalism, and Nature—or collaborate with our design team to create a custom art piece tailored to your vision.



D0008.1



D0009.1



D0010.1


MINIMALISM



M0001.1




M0002.1




M0003.1




M0004.1



M0005.1




M0006.1




M0007.1




M0008.1



M0009.1



M0010.1




M0011.1




M0012.1

NATURE



N0001.1



N0002.1



N0003.1



N0004.1



N0005.1



N0006.1



N0007.1

SILHOUETTES

ArtFrame silhouettes are dye-sublimation printed on 100% recycled fabric, offering both sustainability and stunning visual impact. Choose from 60 curated designs across four distinctive artistic categories—Abstract, Dynamic, Minimalism, and Nature—or collaborate with our design team to create a custom art piece tailored to your vision.



N0008.1



N0009.1



N0010.1




N0011.1



N0012.1




N0013.1



N0014.1



N0015.1



N0016.1



N0017.1




N0018.1


Dye sublimation prints are sensitive to prolonged exposure to direct sunlight and UV radiation. For optimal longevity and vibrancy, avoid placing the prints in areas where they will be regularly exposed to these elements.

FRAMES

ArtFrame features a sleek aluminum frame designed for both durability and versatility. Available in standard black or anodized silver, the frame can also be powder-coated in any color to seamlessly complement your design.



ANODIZED SILVER



BLACK




CUSTOM POWDER COAT
(To match any RAL color)
Minimum quantities may apply.

COLOR GUIDE

9mm ArtFelt is the core material in our signature line of acoustic solutions. The ArtFelt within the ArtFrame is covered with fabric. However, if you ever wish to remove the fabric, it would be beneficial to choose an ArtFelt color that flows nicely in your space and within your frame.

Order Samples to verify color as printers and monitors vary.



HOW TO SPECIFY

Whether you have a specific product in mind or desire to craft a fully customized soundscape, our team is ready to bring your vision to life!

1

CHOOSE YOUR SOUND SOLUTION

Looking to elevate how you address sound mitigation in your space? Explore our range of wall, ceiling, and screen solutions to begin shaping your ideal soundscape.

2

REFINE THE DESIGN

Once you've selected your application and product, it's time to refine the design. Dive into our array of silhouettes, textures, patterns, and colors to customize your creation.

3

SHARE YOUR VISION

Whether you already have a product and design in mind or require a fully custom solution, reach out to an ARTIZIN specialist or fill out the quote form on our website. A team member will walk you through each step of the process.

4

GIVE US THE LOWDOWN

It's beneficial if you can provide our team with architectural drawings, field measurements, design inspiration, or design intent.

HARDWARE

Stick to our straight forward installation guidance then kick back and revel in the acoustic paradise you've crafted.

SEG FRAME EXTRUSION




ALLEN WRENCH



MOUNTING SCREWS



ANCHORS



MOUNTING BRACKETS



CORNER BRACKETS


INSTALLATION

Stick to our straight forward installation guidance then kick back and revel in the acoustic paradise you've crafted.


SEG FRAME INSTALLATION




1. Lay out the frame pieces with flat side down, in shape of finished frame.




2. Insert all (4) corner brackets into inner channel of frame on any (2) opposite sides. Connect all four sides.




3. Tighten all (4) set screws. Repeat for each corner bracket while ensuring frame remains square. Frame is square when diagonal measurement from corner to corner is equal.




4. Place mounting bracket on wall with the center of the hole 2.25" below where you want top of frame and 5.5" (minimum) in from the side of frame. Mark the hole for drilling. Repeat for second mounting bracket. **Best to use a level when placing the second bracket.**




5. Using marked locations, drill holes for anchors




6. Hammer wall anchors into wall until they are flush with drywall or mounting surface. Secure brackets to wall with a screw



7. Hang frame on mounting brackets. Ensure it's level and adjust if necessary.




8. Place remaining (2) brackets as shown on bottom rail 5.5" (minimum) in from each side. Mark holes and repeat steps 5 & 6.




9. **ArtFrame Insert (optional)** Tuck the left side of the insert with the beveled edge between the wall and frame. Expand the insert so that the right side with the beveled edge is between the wall and frame. Push insert flat to lock in place.


SEG INSTALLATION




1. Insert ends of each silicone gasket into channel in each corner to align graphic leaving the rest of the gasket outside the channel



2. Next, insert the middle of each silicone gasket into each channel. Again leaving the rest of the gasket outside the channel



3. Push in the remaining silicone gasket into the channel on all four sides to complete the install



4. Installed SEG fabric in frame

SPECIFICATIONS

The details make all the difference. Dive into the specifics that contribute to the overall quality and functionality of our ArtFelt products.

APPLICATION	Wall
MATERIAL	Elevate Eco Fabric & ArtFelt-9mm
COMPOSITION	Eco Fabric - 100% Recycled Fiber, ArtFelt - 60% Recycled Polyester Fiber, 40% Virgin Fiber
DIMENSIONS	24"x36"x.75", 36"x48"x.75", or 42"x60"x.75"
DENSITY	2000g/m2
FORMALDEHYDE EMISSION	0.00ug/g
NRC RATING	0.30
FIRE TEST ASTM E 84-ISAN	Class A
SUSTAINABILITY	Recyclable, Certified Clean Air Gold by Intertek Sustainability
WARRANTY	5 Year Limited Warranty
SAFETY	DECLARE, Red List Free

GENERAL CARE

Vacuum as needed to remove dirt and dust. Use an air compressor for hard to reach areas.

STAIN REMOVAL

Blot spills and spots immediately with a clean, soft white dry cloth (do not use paper products). Avoid using solvents or concentrated abrasives to clean ArtFelt. Always test in an inconspicuous area first.

MILD STAIN REMOVAL

Blot ArtFelt with a clean, soft white cloth dampened with a mild solution of soap and warm water. Repeat using only clean water (no soap) to remove soap concentrate. Pat dry with a lint free cloth.

CHALLENGING STAIN REMOVAL

Blot ArtFelt with a clean, soft white cloth dampened with a mixed solution of household bleach and water (70% bleach / 30% water). Repeat using only clean water (no bleach) to remove bleach concentration. Pat dry with a lint free cloth.



CUSTOM

Connect with our team to design a fully custom solution. Through meticulous prototyping and the expertise of our skilled designers, we'll transform your vision into a tangible, personalized creation. Whether you're seeking intricate patterns, unique textures, or custom colors, we're here to translate ideas into inspired designs.